Effects of Cumulus Convection on Rapidly Intensifying Cyclones

M.K. Yau

Department of Atmospheric and Oceanic Sciences
 McGill University
 805 Sherbrooke St. West
 Montreal, Canada H3 A 2K6
 Phone: (514)398-3719
 Fax: (514)398-6115

E-Mail: yau@rainband.meteo.mcgill.ca

E-Mail:rogers@zephyr.meteo.mcgill.ca

N00014-96-1-0746

LONG-TERM GOAL

To explain the interactions between convective processes and larger scale marine weather systems, to increase our understanding of the processes affecting the size distribution of cloud droplets in maritime clouds, and to study atmospheric processes through application of new methods of remote sensing.

OBJECTIVES

To investigate the effects of convection and cloud microphysics on rapidly intensifying oceanic cyclones. To determine how mixing affects cloud dropsize distribution in the presence of wind shear. To examine whether microscopic supersa tura tion can broaden cloud dropsize spectra. To explore how longwave cooling affects cloud dynamics and microphysics in trade-wind cumulus clouds. To analyze the structure of a simulated hurr icane. To develop methods for measuring the buoyancy flux in the boundary layer using wind profiler and RASS data.

APPROACH

Theoretical and modeling studies using a hierarchy of models. Observational studies of weather events to support modeling activities.

WORK COMPLETED

The development of explicit microphysics in a compressible mesoscale model and simulation of the ERICA IOP2 storm. The analysis of the relation between mixing and cloud dropsize distribution in a

maintaining the data needed, and c including suggestions for reducing	lection of information is estimated to ompleting and reviewing the collect this burden, to Washington Headqu uld be aware that notwithstanding ar DMB control number.	ion of information. Send comments arters Services, Directorate for Info	s regarding this burden estimate ormation Operations and Reports	or any other aspect of the 1215 Jefferson Davis	nis collection of information, Highway, Suite 1204, Arlington	
1. REPORT DATE 1998		2. REPORT TYPE		3. DATES COVE 00-00-1998	red 3 to 00-00-1998	
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER		
Effects of Cumulus Convection on Rapidly Intensifying Cyclones				5b. GRANT NUMBER		
				5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)				5d. PROJECT NUMBER		
				5e. TASK NUMBER		
				5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) McGill Univer sity, Depar tment of Atmospher ic and Ocea nic Sciences, 805 Sherbrooke St. West, Montreal, Canada H3 A 2K6,				8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)		
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
12. DISTRIBUTION/AVAII Approved for publ	LABILITY STATEMENT ic release; distributi	on unlimited				
13. SUPPLEMENTARY NO See also ADM0022						
14. ABSTRACT						
15. SUBJECT TERMS						
16. SECURITY CLASSIFIC	17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON			
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	Same as Report (SAR)	5		

Report Documentation Page

Form Approved OMB No. 0704-0188 two-dimensional cloud model. A study on the interaction between longwave radiation and cloud dynamics in a small convective cloud. A triply-nested grid simulation of Hurricane Andrew. An analysis of the kinematic structures and inner-core characteristics of the simulated Hurricane Andrew. An examination of the surface winds during the landfall of a hurricane. A direct numerical simulation study on the growth of cloud droplets in a turbulent flow. Development of a method for measuring the heat fluxes in a convective boundary layer using a Radio-Acoustic Sounding System (RASS).

RESULTS

(1) We developed an explicit microphysics scheme in a mesoscale model and used it to simulate the development of the ERICA IOP2 storm. The scheme captures well the deepening rates, the structures on the mesoscale, and the distribution of cloud and precipitation as verified against observations (Kong and Yau, 1997). (2) We compared the modeled cloud droplet spectra in the upshear side and the downshear side of a small cumulus cloud. We showed that the size distributions of cloud particles are similar between the upshear and downshear sides of individual cloud turrets provided that they are composed of cloudy air of rather uniform age. However, there are important differences in the spectral properties between new cloudy air growing on the upshear side of the cloud and older cloudy volumes dissipating on the downshear side (Vaillancourt, Yau, and Grabowski 1997). (3) We explored the interaction between radiation and the microphysics and dynamics of clouds (Guan, Yau, and Davies 1997). For a small cumulus, we found that longwave radiative cooling increases significantly the maximum cloud water content. In particular, cooling from radiation and evaporation of cloud water enhanced the downward motion along the cloud edges. This in turn strengthens the low-level convergence to promote further cloud development. (4) We examined the effect of the non-uniform spatial distribution of cloud particles on the condensational growth of a cloud droplet. We simulated the motion of thousands of droplets in a turbulent flow (Vaillancourt, Yau, and Grabowski 1998) and demonstrated that in the absence of turbulence or sedimentation of particles, the non-uniform spatial distribution of droplets produces significant broadening of the size distribution. However, the broadening becomes quite small when turbulence and sedimentation effects are included. (5) We developed a technique of estimating heat fluxes in the boundary layer from a Radio-Acoustic Sounding System, RASS (Potvin 1998). (6) We simulated Hurricane Andrew (1992) using the Pennsylvania State University/National Center for Atmospheric Research (PSU/NCAR) nonhydrostatic mesoscale model (MM5). The simulation produces many features of the storm which compare well with observations (Liu, Zhang, and Yau 1997). (7) We analyzed the details of the air motion and the thermodynamic structures in the simulated storm and proposed a conceptual model of the airflow in an intense hurricane (Liu, Zhang, and Yau 1998). (8) We showed that the surface winds in the simulated Andrew agree with observations and that horizontal advection of momentum can smooth out the wind discontinuity downstream from the coastline during the landfall of a hurricane (Zhang, Liu, and Yau 1998).

PUBLICATIONS

Journal publication

Liu, Y., D.-L. Zhang, and M.K. Yau, 1998: A multiscale numerical study of hurricane Andrew (1992). Part II: Kinematics and inner-core structures. *Mon. Wea. Rev.* (submitted).

Liu, Y., D.-L. Zhang, and M.K. Yau, 1997: A multiscale numerical study of hurricane Andrew (1992). Part I: Explicit simulation and verification. *Mon. Wea. Rev.* **125**, 3073-3093.

Kong, F., and M.K. Yau, 1997: An explicit approach to microphysics in MC2. *Atmosphere-Ocean*, **35**, 257-291.

Guan, H., M.K. Yau, and R. Davies, 1997: The effects of longwave radiation in a small cumulus cloud. *J. Atmos. Sci.* **54**, 2201-2214.

Vaillancourt, P.A., M.K. Yau, and W.W. Grabowski, 1997: Upshear and downshear evolution of cloud structure and spectral properties. *J. Atmos. Sci.* **54**, 1203-1217.

Rogers, R.R., M.-F. Lamoureux, L. Bissonnette, and R.M. Peters, 1997: Quantitative interpretation of laser ceilometer intensity profiles. *J. Atmos. Ocean. Tech.* **14**, 396-411.

Rogers, R.R., and W.O.J. Brown, 1997: Radar observations of a major industrial fire. *Bull. Amer. Meteor. Soc.* **78**, 803-814.

Zhang, D.-L., Y., Liu, and M.K. Yau, 1998: Surface winds at landfall of hurricane Andrew (1992). *Mon. Wea. Rev.* (in press).

Conference proceedings/ presentations

Brown, W.O.J., and R.R. Rogers, 1997: UHF echoes at the base of elevated snow layers. *Extended Abstracts, COST-76 Profiler Workshop*, Engelberg, Switzerland, pp. 273-276.

Brown, W.O.J., and R.R. Rogers, 1997: Gravity wave and wind shear observations on the McGill weather and profiler radars. *Preprints, 28th Conference on Radar Meteorology*, Amer. Meteor. Soc., Austin, Texas, pp. 512-513.

Donaldson, N., W.O.J. Brown, and R.R. Rogers, 1997: Radar observations of the planetary boundary layer during MERMOZ. *Preprints, 12th Symposium on Boundary Layers and Turbulence*, Amer. Meteor. Soc., Vancouver, Canada, pp. 421-422.

Hocking, W.K., W.O.J. Brown, M.C. Kelley, and R.R. Rogers, 1997: The VHF wind profiler at Resolute Bay in the Canadian Arctic: description and preliminary observations. *Preprints*, 28th Conference on Radar Meteorology, Amer. Meteor. Soc., Austin, Texas, pp. 79-80.

Liu, Y., D.L. Zhang, and M.K. Yau, 1997: Explicit simulation of hurricane Andrew (1992). *Preprints*, 22nd Conference on Hurricanes and Tropical Meteorology, Amer. Meteor. Soc., Ft. Collins, Colorado.

Liu, Y., D.-L. Zhang, and M.K. Yau, 1998: A Diagnostic Conceptual Model of Intense Hurricanes from the Explicit Simulation of Andrew. *Preprints*, 23rd Conference on Hurricanes and Tropical Meteorology, Amer. Meteor. Soc., Dallas, Texas (January 1999), 4 pp.

Nagarajan, B., M.K.Yau, and D.-L. Zhang, 1998: Numerical simulation of the 15 December 1992 TOGA COARE mesoscale convective system. *Preprints, 23rd Conference on Hurricanes and Tropical Meteorology*, Amer. Meteor. Soc., Dallas, Texas (January 1999), 2pp.

Potvin, G., J.I. MacPherson, R.R. Rogers, N.R. Donaldson, and J.W. Strapp, 1997: Analysis of buoyancy flux by RASS and comparison with airplane measurements. *Extended Abstracts, COST-76 Profiler Workshop*, Engelberg, Switzerland, pp. 203-206.

Potvin, G., J.I. MacPherson, R.R. Rogers, N.R. Donaldson, and J.W. Strapp, 1997: An evaluation of a heat flux retrieval method using MERMOZ data. *Preprints, 12th Symposium on Boundary Layers and Turbulence*, Amer. Meteor. Soc., Vancouver, Canada, pp. 441-442.

Potvin, G., and R.R. Rogers, 1998: Measuring vertical heat flux with RASS. Ninth International Symposium on Acoustic Remote Sensing, Vienna, Austria, July 6-10.

Shephard, M., J.W. Strapp, and R.R. Rogers, 1997: Ceilometer measurements of extinction in haze and comparison with aircraft observations. *Preprints, 12th Symposium on Boundary Layers and Turbulence*, Amer. Meteor. Soc., Vancouver, Canada, pp. 433-434.

Shephard, M., U. Jambor, and R.R. Rogers, 1997: Haze trapping observed by ceilometer, RASS, and UHF profiler. *Preprints*, 28th Conference on Radar Meteorology, Amer. Meteor. Soc., Austin, Texas, pp. 561-562.

Rogers, R.R., 1997: Pivotal events in the history of radar meteorology. *Preprints, 28th Conference on Radar Meteorology*, Amer. Meteor. Soc., Austin, Texas, pp. 298-302.

Rogers, R.R., and W.O.J. Brown, 1998: Interactions between scattering by precipitation and the clear air. URSI Commission F International Symposium on Wave Propagation and Remote Sensing, Aveiro, Portugal, September 22-25.

Vaillancourt, P.A., M.K. Yau, and W.W. Grabowski, 1998: Microscopic approach to cloud droplet growth by condensation. *Preprints AMS Conference on Cloud Physics*, Everett, Washington, August 17-21.

Yau, M.K., Y., Liu, and D.-L. Zhang, 1998: Simulating the Inner-core of Hurricane Andrew (1992) With A Convection-Resolvable Grid. *Preprints*, 23rd Conference on Hurricanes and Tropical Meteorology, Amer. Meteor. Soc., Dallas, Texas (January 1999), 4 pp.

Zhang, D.-L., Y., Liu, and M.K. Yau, 1998: Supergradient Flows in the eyewall of a Simulated Hurricane. *Preprints*, 23rd Conference on Hurricanes and Tropical Meteorology, Amer. Meteor. Soc., Dallas, Texas (January 1999), 2 pp.


Student theses

Vaillancourt, Paul, 1998: Microscopic approach to cloud droplet growth by condensation. Ph.D. thesis, Department of Atmospheric and Oceanic Sciences, McGill University, 154 pp.

Potvin, Guy, 1998: The application of RASS in urban boundary layer meteorology, Ph.D. thesis, Department of Atmospheric and Oceanic Sciences, McGill University.

IN-HOUSE/OUT-OF-HOUSE RATIOS

100% out-of-house.



A conceptual model of a mature hurricane in the inner core region. The light shaded areas denote regions with cloud and precipitation. The dark shaded areas depict the convective eyewall and spiral rainbands. The medium shaded areas denotes the inversion layer in the eye (EIL) and the occluded air in the eye(OEA) respectively. The freezing level is marked by a dashed line. The meaning of the other symbols are:

- MI Main Inflow; MO Main Outflow; SU Sloping Updraft;
- RO Return Outflow; RI Returning Inflow; MTD -Moist downdraft;
- SR Spiral Rainband; DD Dry Downdraft; LX Lateral Mixing;
- GOs Gravitational Oscillations; MD Mean Descent in eye;
- DF Divergent Flow in inversion; and VC Vertical Circulation below inversion.